



# LAVA 20

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its  
Amendment Regulation (EC) No. 1272/2008 (CLP) and EU 2020/878

Printing Date 12. 10. 2023

Version Number 6 (replaces version 5)

Revision: 12. 10. 2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: LAVA 20

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against Professional use

Application of the substance / the mixture: Polyurethane Waterproofing coating

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

**OWL WATERPROOFING SOLUTIONS**

135 Slaney Road, Dublin Industrial Estate

Glasnevin, Dublin 11

Tel: +353 01 830 2250

Email: [info@owlwaterproofing.co.uk](mailto:info@owlwaterproofing.co.uk)

Website: [www.owlwaterproofing.co.uk](http://www.owlwaterproofing.co.uk)

#### 1.4 Emergency telephone number:

European Emergency Tel.: +353 01 830 2250

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:

GHS02 flame



Flam. Liq. 3 H226 Flammable liquid and vapour.

GHS08 health hazard



Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

GHS07



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.



# LAVA 20

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its  
Amendment Regulation (EC) No. 1272/2008 (CLP) and EU 2020/878

Printing Date 12. 10. 2023

Version Number 6 (replaces version 5)

Revision: 12. 10. 2023

### 2.2 Label elements

#### Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:



GHS02      GHS08

**Signal word:** Danger

#### Hazard-determining components of labelling:

Reaction mass of ethylbenzene and m-xylene and p-xylene

m-tolylidene diisocyanate

4,5-dichloro-2-octyl-2H-isothiazol-3-one

#### Hazard statements:

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

H412 Harmful to aquatic life with long lasting effects.

#### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Additional information:

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

PBT: Not applicable

vPvB: Not applicable.

**LAVA 20****Safety Data Sheet**

According to Regulation (EC) No. 1907/2006 (REACH) with its  
Amendment Regulation (EC) No. 1272/2008 (CLP) and EU 2020/878

**Printing Date 12. 10. 2023****Version Number 6 (replaces version 5)****Revision: 12. 10. 2023****SECTION 3: Composition/information on ingredients****3.2 Mixtures****Description:** Mixture: consisting of the following components.**Ingredients according Regulation (EU) 2020/878:**

|                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                 |                 |
|------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| EC number: 905-562-9<br>Reg.nr.: 01-2119488216-32-XXXX                                               | Reaction mass of ethylbenzene and m-xylene and p-xylene Flam. Liq. 3, H226; STOT RE 2, H373; Asp. Tox. 1, H304; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335; Aquatic Chronic 3, H412                                                                                                                                       | ≥15-<20%        |
| CAS: 26471-62-5<br>EINECS: 247-722-4<br>Index number: 615-006-00-4<br>Reg.nr.: 01-2119454791-34-XXXX | m-tolylidene diisocyanate Acute Tox. 2, H330; Resp. Sens. 1, H334; Carc. 2, H351; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335; Aquatic Chronic 3, H412, EUH204 Specific concentration limit: Resp. Sens. 1; H334: C ≥ 0.1 %                                                                                                                    | 0.1-<0.5%       |
| CAS: 64359-81-5<br>EINECS: 264-843-8<br>Index number: 613-335-00-8                                   | 4,5-dichloro-2-octyl-2H-isothiazol-3-one<br>Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Acute Tox. 4, H302; Skin Sens. 1A, H317 ATE: LD50 oral: 567 mg/kg<br>Specific concentration limits: Skin Irrit. 2; H315: C ≥ 0.025 % Eye Irrit. 2; H319: C ≥ 0.025 %<br>Skin Sens. 1A; H317: C ≥ 0.0015 % | ≥0.0025-<0.025% |
| CAS: 1317-65-3<br>EINECS: 215-279-6                                                                  | limestone                                                                                                                                                                                                                                                                                                                                                                       | ≥30-<40%        |
| CAS: 13463-67-7<br>EINECS: 236-675-5<br>Index number: 022-006-00-2<br>Reg.nr.: 01-2119489379-17-XXXX | titanium dioxide substance with a Community workplace exposure limit                                                                                                                                                                                                                                                                                                            | ≥2-<3%          |

**Additional information:**

(CAS:13463-67-7) Titanium dioxide

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤10 μm.



# LAVA 20

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its  
Amendment Regulation (EC) No. 1272/2008 (CLP) and EU 2020/878

Printing Date 12. 10. 2023

Version Number 6 (replaces version 5)

Revision: 12. 10. 2023

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out into the fresh air.

Seek immediate medical advice.

##### After inhalation:

If the patient becomes unconscious, secure him in a side position for transportation.

Get fresh air. Provide artificial respiratory support if necessary. Keep the patient warm.

If symptoms last, see a doctor.

##### After skin contact:

Wash with soap and water immediately, then thoroughly rinse.

Talk to a doctor if skin irritation persists.

##### After eye contact:

Rinse the opened eye under flowing water for 15 minutes.

Take off your contact lenses and keep rinsing for a few minutes.

Avoid forceful water jets to prevent corneal injury; consult a doctor.

##### After swallowing:

Do not force yourself to vomit; instead, contact emergency help right away.

Ensure you are getting lots of fresh air and drink. Make a doctor's appointment immediately.

Seek emergency medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

**Suitable extinguishing agents:** CO<sub>2</sub>, powder or water spray. Use water spray to put out major fires.

**For safety reasons unsuitable extinguishing agents:** Water with full jet

#### 5.2 Special hazards arising from the substance or mixture

Carbon dioxide (CO<sub>2</sub>)

Carbon monoxide (CO)

#### 5.3 Advice for firefighters

##### Protective equipment:

Self-contained breathing gear

Full protective clothes are required.

##### Additional information

Separately collect contaminated fire-fighting water. It should not go down the sewage line.



# LAVA 20

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its  
Amendment Regulation (EC) No. 1272/2008 (CLP) and EU 2020/878

Printing Date 12. 10. 2023

Version Number 6 (replaces version 5)

Revision: 12. 10. 2023

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Make sure there is enough air circulation.

Stay away from sources of ignition.

Wear safety gear when necessary. Keep vulnerable people at a distance.

#### 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Utilize absorbent material to collect (sand, diatomite).

Avoid using aqueous cleaning solutions or water to flush.

#### 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Make sure the workspace has adequate exhaustion and ventilation.

Wear the appropriate personal protection equipment as necessary. See section 8 for more information on protective gear.

Do not breathe in vapors.

Avoid skin, eyes, and clothing contact.

#### Information about fire - and explosion protection:

Avoid smoking and keep all combustible materials away.

Safeguard against electrostatic charges.



#### 7.2 Conditions for safe storage, including any incompatibilities

##### Storage:

##### Requirements to be met by storerooms and receptacles:

Retain in a cold environment.

Store far from combustible materials

Receptacles should be ventilated.

##### Further information about storage conditions:

Preserve the container tightly locked.

Safeguard against high temperatures and sunlight.

#### 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

CAS: 13463-67-7 titanium dioxide

WEL (Great Britain)

Long-term value: 10\* 4\*\* mg/m<sup>3</sup>

\*total inhalable \*\*respirable



**LAVA 20**

## **Safety Data Sheet**

According to Regulation (EC) No. 1907/2006 (REACH) with its  
Amendment Regulation (EC) No. 1272/2008 (CLP) and EU 2020/878

**Printing Date 12. 10. 2023**

**Version Number 6 (replaces version 5)**

**Revision: 12. 10. 2023**

**CAS: 26471-62-5 m-tolylidene diisocyanate**

|                     |                                                                                                     |
|---------------------|-----------------------------------------------------------------------------------------------------|
| WEL (Great Britain) | Short-term value: 0.07 mg/m <sup>3</sup><br>Long-term value: 0.02 mg/m <sup>3</sup><br>Sen; as -NCO |
|---------------------|-----------------------------------------------------------------------------------------------------|

### **DNELs**

Reaction mass of ethylbenzene, m-xylene and p-xylene | EC: 905-562-9.

Consumers:

Long-term Systemic effect Oral: 1.6 mg/kg bw/d

Long-term Systemic effect By inhalation: 14.8 mg/m<sup>3</sup>

Long-term Systemic effect Dermal: 108 mg/kg bw/d

Workers:

Long-term Systemic effect By inhalation: 77 mg/ml

Long-term Systemic effect Dermal: 180 mg/kg bw/d

Short-term Local effect By inhalation: 289 mg/ml

Short-term Systemic effect By inhalation: 289 mg/m

### **PNECs**

Reaction mass of ethylbenzene, m-xylene and p-xylene | EC: 905-562-9.

Fresh water: 0,327 mg / l

Marine water: 0.327 mg / l

Freshwater sediments: 12.46 mg / kg

Marine water sediments: 12,46 mg / kg

Soil: 2.31 mg / kg

Sewage treatment plant: 6.58 mg / l

**Additional information:** The lists valid during the making were used as basis.

## **8.2 Exposure controls**

**Individual protection measures, such as personal protective equipment**

**General protective and hygienic measures:**

Avoid food, drink, and feed.

Prior to breaks and after work, wash your hands.

Keep your hands away from your skin and eyes.

Avoid eating, drinking, and smoking while using the product.

Avoid inhaling mists or vapors.

Protective clothes should be kept apart.



# LAVA 20

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its Amendment Regulation (EC) No. 1272/2008 (CLP) and EU 2020/878

**Printing Date 12. 10. 2023**

**Version Number 6 (replaces version 5)**

**Revision: 12. 10. 2023**

### **Respiratory protection:**



In cases of inadequate ventilation, use an appropriate respiratory protection gear. Respiratory protection is necessary while spraying and in poorly ventilated work spaces. For brief durations of labor, a charcoal filter and particle filter A2-P2 (EN529) combination mask or an air-fed mask are advised.

### **Hand protection**



Protective gloves resistant to chemicals (standard EN 374-1)

The material used for the gloves must be waterproof and resistant to the product, substance, or preparation.

No advice for the glove material for the product, preparation, or chemical mixture can be made due to a lack of studies.

Choose the glove material while taking the degradation, diffusion, and penetration rates into account

#### **Material of gloves**

Hand protection when handling the product at room temperature:

Butyl rubber - IIR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Fluorinated rubber - FKM: thickness  $\geq 0,4\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Recommendation: contaminated gloves should be disposed of.

The material used for the gloves must be waterproof and resistant to the product, substance, or preparation.

No advice for the glove material for the product, preparation, or chemical mixture can be made due to a lack of studies. Choose the glove material while taking the degradation, diffusion, and penetration rates into account.

#### **Penetration time of glove material**

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions.

Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

### **Eye/face protection**



Safety glasses with side-shields (frame goggles) (e.g. EN 166)

### **Body protection:**



Chemically resistant, protective work clothing (EN 14605) and boots.





**LAVA 20**

## **Safety Data Sheet**

According to Regulation (EC) No. 1907/2006 (REACH) with its  
Amendment Regulation (EC) No. 1272/2008 (CLP) and EU 2020/878

Printing Date 12. 10. 2023

Version Number 6 (replaces version 5)

Revision: 12. 10. 2023

### **SECTION 9: Physical and chemical properties**

#### **9.1 Information on basic physical and chemical properties**

##### **General Information**

|                                                                                       |                                                                      |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------|
| <b>Physical state</b>                                                                 | Liquid<br>Viscous liquid                                             |
| <b>Colour</b>                                                                         | Various colours                                                      |
| <b>Odour</b>                                                                          | Characteristic                                                       |
| <b>Odour threshold</b>                                                                | Not determined                                                       |
| <b>Melting point/freezing point</b>                                                   | Not determined                                                       |
| <b>Boiling point or initial boiling point and boiling range</b>                       | 130-150 °C (Reaction mass of ethylbenzene and m-xylene and p-xylene) |
| <b>Flammability</b>                                                                   | Not applicable                                                       |
| <b>Lower and upper explosion limit</b><br>Lower<br>Upper                              | 0.8 Vol %<br>Not determined                                          |
| <b>Flash point</b>                                                                    | 31°C (Pensky-Martens)                                                |
| <b>Auto-ignition temperature</b>                                                      | Product is not selfigniting                                          |
| <b>Decomposition temperature</b>                                                      | Not determined                                                       |
| <b>pH</b>                                                                             | Not determined                                                       |
| <b>Viscosity</b><br><b>Kinematic viscosity at 23 °C</b><br><b>Kinematic viscosity</b> | 398 s (ISO 2431/Flow time tISO)                                      |





# LAVA 20

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its  
Amendment Regulation (EC) No. 1272/2008 (CLP) and EU 2020/878

Printing Date 12. 10. 2023

Version Number 6 (replaces version 5)

Revision: 12. 10. 2023

|                                                              |                                |
|--------------------------------------------------------------|--------------------------------|
| <b>Dynamic</b>                                               | Not determined                 |
| <b>Solubility<br/>Water:</b>                                 | Not miscible<br>Not determined |
| <b>Partition coefficient n-octanol/water<br/>(log value)</b> | Not determined                 |
| <b>Vapour pressure</b>                                       | Not determined                 |
| <b>Density and/or relative density<br/>Density at 20 °C</b>  | 1.39-1.41 g/cm <sup>3</sup>    |
| <b>Relative density</b>                                      | Not determined                 |
| <b>Vapour density</b>                                        | Not determined                 |

### 9.2 Other information

|                                                                                                                        |                                                                                                |
|------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| <b>Appearance<br/>Form</b>                                                                                             | Viscous liquid                                                                                 |
| <b>Important information on protection<br/>of health and environment, and on<br/>safety. Auto-ignition temperature</b> | 480 °C (xylene, Reaction mass of ethylbenzene and<br>m-xylene and p-xylene)                    |
| <b>Explosive properties</b>                                                                                            | Product is not explosive. However, formation of<br>explosive air/vapour mixtures are possible. |
| <b>Solvent separation test</b>                                                                                         | <1 % (UN Part III, par. 32.5.1)                                                                |
| <b>Solvent content<br/>VOC (EC)</b>                                                                                    | 249 g/l                                                                                        |



# LAVA 20

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its  
Amendment Regulation (EC) No. 1272/2008 (CLP) and EU 2020/878

Printing Date 12. 10. 2023

Version Number 6 (replaces version 5)

Revision: 12. 10. 2023

|                                                           |                |
|-----------------------------------------------------------|----------------|
| Cloud point / clarification point<br>Oxidising properties | Not oxidising  |
| Evaporation rate                                          | Not determined |

### Information with regard to physical hazard classes

|                                                                              |                             |
|------------------------------------------------------------------------------|-----------------------------|
| Explosives                                                                   | Void                        |
| Flammable gases                                                              | Void                        |
| Aerosols                                                                     | Void                        |
| Oxidising gases                                                              | Void                        |
| Gases under pressure                                                         | Void                        |
| Flammable liquids                                                            | Flammable liquid and vapour |
| Flammable solids                                                             | Void                        |
| Self-reactive substances and mixtures                                        | Void                        |
| Pyrophoric liquids                                                           | Void                        |
| Pyrophoric solids                                                            | Void                        |
| Self-heating substances and mixtures                                         | Void                        |
| Substances and mixtures, which emit<br>flammable gases in contact with water | Void                        |
| Oxidising liquids                                                            | Void                        |



# LAVA 20

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its Amendment Regulation (EC) No. 1272/2008 (CLP) and EU 2020/878

Printing Date 12. 10. 2023

Version Number 6 (replaces version 5)

Revision: 12. 10. 2023

|                                |      |
|--------------------------------|------|
| <b>Oxidising solids</b>        | Void |
| <b>Organic peroxides</b>       | Void |
| <b>Corrosive to metals</b>     | Void |
| <b>Desensitised explosives</b> | Void |

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability**

**Thermal decomposition / conditions to be avoided** Stable at environment temperature.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.

**10.4 Conditions to avoid** Avoid heat, sparkles, naked flame or other sources of ignition.

**10.5 Incompatible materials** No further relevant information available.

**10.6 Hazardous decomposition products** Carbon monoxide and carbon dioxide

### SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

|            |        |             |
|------------|--------|-------------|
| Dermal     | ATEmix | 9,434 mg/kg |
| Inhalative | ATEmix | 35 mg/l     |

**Reaction mass of ethylbenzene and m-xylene and p-xylene**

|            |           |                                       |
|------------|-----------|---------------------------------------|
| Oral       | LD50      | 4,300 mg/kg (rat)                     |
| Inhalative | LC50 (4h) | 5,000 ppm (rat)<br>5,000 ppm (rabbit) |



# LAVA 20

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its  
Amendment Regulation (EC) No. 1272/2008 (CLP) and EU 2020/878

Printing Date 12. 10. 2023

Version Number 6 (replaces version 5)

Revision: 12. 10. 2023

**CAS: 26471-62-5 m-tolylidene diisocyanate**

|        |      |                                            |
|--------|------|--------------------------------------------|
| Oral   | LD50 | 4,300 mg/kg (rat)                          |
| Dermal | LD50 | 4,130 mg/kg (rat)<br>>9,400 mg/kg (rabbit) |

**CAS: 64359-81-5 4,5-dichloro-2-octyl-2H-isothiazol-3-one**

|            |                           |                                    |
|------------|---------------------------|------------------------------------|
| Oral       | LD50                      | 4,300 mg/kg (rat)                  |
| Inhalative | LC50/4h (dusts and mists) | 567 mg/kg (ATE)<br>0.16 mg/l (ATE) |

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/irritation** Causes serious eye irritation.

**Respiratory or skin sensitisation**

**Inhalation** may result in symptoms of allergies, asthma, or breathing problems.

**Might result in an allergic skin condition.**

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

**STOT Repeated Exposure** Category 2

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

The product is classified Aspiration toxicity Category 1

May be fatal if swallowed and enters airways.

Additional toxicological information:

**Sensitisation** Sensitization possible through skin contact

### 11.2 Information on other hazards

**Endocrine disrupting properties** None of the ingredients is listed.

## SECTION 12: Ecological information

### 12.1 Toxicity

**Aquatic toxicity:**

**CAS: 26471-62-5 m-tolylidene diisocyanate**



# LAVA 20

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its Amendment Regulation (EC) No. 1272/2008 (CLP) and EU 2020/878

Printing Date 12. 10. 2023

Version Number 6 (replaces version 5)

Revision: 12. 10. 2023

|            |                                |
|------------|--------------------------------|
| EC50 (48h) | 12.5 mg/l (daphnia magna)      |
| LC50 (96h) | 133 mg/l (Oncorhynchus mykiss) |

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

**12.7 Other adverse effects**

**Remark:** Harmful to fish

**Additional ecological information:**

**General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The product contains materials that are harmful to the environment.

Harmful to aquatic organisms

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

**Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations.



**LAVA 20**

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its  
Amendment Regulation (EC) No. 1272/2008 (CLP) and EU 2020/878

Printing Date 12. 10. 2023

Version Number 6 (replaces version 5)

Revision: 12. 10. 2023

### SECTION 14: Transport information

|                                                                                                                                                                                            |                                                   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| <b>14.1 UN number or ID number</b><br><b>ADR, IMDG, IATA</b>                                                                                                                               | UN1866                                            |
| <b>14.2 UN proper shipping name</b><br><b>ADR</b><br><b>IMDG, IATA</b>                                                                                                                     | 1866 RESIN SOLUTION<br>RESIN SOLUTION             |
| <b>14.3 Transport hazard class(es)</b><br><b>ADR, IMDG, IATA</b><br><br><br><b>Class</b><br><b>Label</b> | <br><br><br><br>3 Flammable liquids.<br>3         |
| <b>14.4 Packing group</b><br><b>ADR, IMDG, IATA</b>                                                                                                                                        | III                                               |
| <b>14.5 Environmental hazards:</b><br><b>Marine pollutant:</b>                                                                                                                             | No                                                |
| <b>14.6 Special precautions for user</b><br><b>Hazard identification number (Kemler code):</b><br><b>EMS Number:</b><br><b>Stowage Category</b>                                            | Warning: Flammable liquids.<br>30<br>F-E,S-E<br>A |
| <b>14.7 Maritime transport in bulk according to</b><br><b>IMO instruments</b>                                                                                                              | Not applicable.                                   |



# LAVA 20

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its  
Amendment Regulation (EC) No. 1272/2008 (CLP) and EU 2020/878

Printing Date 12. 10. 2023

Version Number 6 (replaces version 5)

Revision: 12. 10. 2023

### Transport/Additional information:

|                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>ADR</b><br><b>Limited quantities (LQ)</b><br><b>Excepted quantities (EQ)</b>  | 5L<br>Code: E1<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Transport category</b>                                                        | 3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Tunnel restriction code</b>                                                   | D/E                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Remarks</b>                                                                   | <ul style="list-style-type: none"><li>• Viscous liquid par. 2.2.3.1.5., 2.2.3.1.5.2 ADR and par. 2.3.2.5 of the IMDG Code.</li><li>• Exception for packages: <math>\leq 5</math> liters.</li><li>- In accordance to paragraphs 2.2.3.1.5, 2.2.3.1.5.2 of ADR (road transport) and 2.3.2.5 of the IMDG Code (marine transport) for packaging <math>\leq 5</math> liters (L), are not subject to the ADR agreement and are not subject to the provisions for the marking, labelling and testing of packages (IMDG).</li></ul> |
| <b>IMDG</b><br><b>Limited quantities (LQ)</b><br><b>Excepted quantities (EQ)</b> | 5L<br>Code: E1<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Remarks</b>                                                                   | <ul style="list-style-type: none"><li>• Viscous liquid par. 2.2.3.1.5., 2.2.3.1.5.2 ADR and par. 2.3.2.5 of the IMDG Code.</li><li>• Exception for packages: <math>\leq 5</math> liters.</li><li>- In accordance to paragraphs 2.2.3.1.5, 2.2.3.1.5.2 of ADR (road transport) and 2.3.2.5 of the IMDG Code (marine transport) for packaging <math>\leq 5</math> liters (L), are not subject to the ADR agreement and are not subject to the provisions for the marking, labelling and testing of packages (IMDG).</li></ul> |
| <b>UN "Model Regulation"</b>                                                     | UN 1866 RESIN SOLUTION, 3, III                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |





**LAVA 20**

## **Safety Data Sheet**

According to Regulation (EC) No. 1907/2006 (REACH) with its  
Amendment Regulation (EC) No. 1272/2008 (CLP) and EU 2020/878

**Printing Date 12. 10. 2023**

**Version Number 6 (replaces version 5)**

**Revision: 12. 10. 2023**

### **SECTION 15: Regulatory information**

#### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

Directive 94/62/EC on packaging and packaging waste.

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as amended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** Substance is not listed.

**Seveso category P5c FLAMMABLE LIQUIDS**

**Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t**

**Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t**

**REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 74**

**National regulations:**

**Other regulations, limitations and prohibitive regulations**

**Substances of very high concern (SVHC) according to REACH, Article 57**

It doesn't contain substances of very high concern (SVHC).

**15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Relevant phrases**

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.



# LAVA 20

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its  
Amendment Regulation (EC) No. 1272/2008 (CLP) and EU 2020/878

**Printing Date 12. 10. 2023**

**Version Number 6 (replaces version 5)**

**Revision: 12. 10. 2023**

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

EUH204 Contains isocyanates. May produce an allergic reaction.

### Department issuing SDS

OWL WATERPROOFING SOLUTIONS

135 Slaney Road, Dublin Industrial Estate

Glasnevin, Dublin 11

Tel: +353 01 830 2250

Email: [info@owlwaterproofing.co.uk](mailto:info@owlwaterproofing.co.uk)

Website: [www.owlwaterproofing.co.uk](http://www.owlwaterproofing.co.uk)

### Version number of previous version: 5

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1: Skin corrosion/irritation – Category 1

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

**\* Data compared to the previous version altered.**